
# Dings magnetic group

### Ferroplate Magnets:

- Durable carbon steel or stainless steel allwelded construction
- ◊ Designed with Ceramic VIII magnetic material
- Enhanced separating action
- Maintenance-free and easy-to-use models
- Continuous, no or low-cost separation
- Easy installation where space is limited
- Purifies and prevents expensive equipment damage



**Dings Ferroplates** are low-cost, non-electric flat plate magnetic separators. They are designed to remove tramp iron and magnetic contaminants from processed powders and granular materials conveyed in chutes. The most popular installation is a sloping chute. An installed Ferroplate is hinged to the underside of the chute, where it can overlap an opening cut into the chute bottom. Any ferrous in the material that slides over the Ferroplate is attracted towards the magnetic face, then is held firmly on it. Dings Ferroplates provide more magnetic range and holding power than others on the market. Our Ferroplates have the capability of effectively attracting metal through a distance while securely holding that metal in a chute.

Dings Ferroplates come in several different models and design shapes that are available to meet your specific application requirements. Any Ferroplate can be custom designed.



\* Shown with sanitary finish & stainless-steel back

Ferroplate Model Selection Table								
Maximum Depth of Material (in inches)	3"	3.5"	4.5"	5.5"	6.5"			
Material Type	Ferroplate Model Recommended							
Material is free-flowing, dry, loose, granular	2100	2200	2300	2400	Ultimate			
Material is moist , fibrous	2200	2300	2400	Ultimate				
Material is dense, wet, viscous, liquid	2300	2400	Ultimate					


Call us for Expert Support of Dings Co. Equipment - Regardless of its Age



**Dings Ferroplates** are available in a variety of designs and models: from our plate magnet models to our application specific designs: Dry Hump, Hydro Hump, Round Pipe Separator, Perma Chute, Pneumatic Inline, Quick Clean and Auto Clean models, and FDA approved gasket seals. Contact a Dings magnetic expert today to get the right Ferroplate for your application.

	Cubic Feet Per Hour Capacities							
Mag. Width	2100	2200	2300	2400	Ultimate			
4"	1,000	1,170	1,500	1,700	2,100			
6"	1,500	1,750	2,250	2,500	3,200			
8"	2,000	2,340	3,000	3,300	4,300			
10"	2,500	2,900	3,750	4,700	5,400			
12"	3,000	3,500	4,500	5,000	6,500			
14"	3,500	4,100	5,200	5,800	7,500			
16"	4,000	4,700	6,000	6,600	8,600			
18"	4,500	5,300	6,700	7,500	9,700			
20"	5,000	5,800	7,500	8,300	10,800			
22"	5,500	6,400	8,300	9,100	11,900			
24"	6,000	7,000	9,000	10,000	13,000			
26"	6,500	7,600	9,300	10,800	14,000			
28"	7,000	8,200	10,500	11,600	15,000			
30"	7,500	8,800	11,300	12,500	16,000			
32"	8,000	9,300	12,000	13,300	17,000			
34"	8,500	9,900	12,700	14,000	18,000			
36"	9,000	10,500	13,500	15,000	19,000			
40"	10,000	11,670	15,000	16,000	20,000			
44'	11,000	12,800	16,500	17,000	21,000			
48"	12,000	14,000	17,000	18,000	22,000			

#### More Dings Company Magnetic Separation Equipment



### **Engineering Driven - Customer Service Focused**



Dings Company Magnetic Group engineering and sales staff work together from our Milwaukee, WI factory to provide outstanding customer service from experts in magnetic separation. We listen to our customers to gain an understanding of their needs and apply our experience in their trade to provide magnetic separation equipment that is sized and positioned for the best possible performance in their specific application.

## Dings magnetic group Ferroplate Magnet Quote Request

Company:			Quote Required Date:				
Address:							
City, State, ZIP:							
Phone/Cell:							
Date Equipment Req	uired by:						
Material Informa	tion						
Type of Material Being	Conveyed:						
Description of Material Tramp Iron is Being Extracted From:							
Material type: Liq	uid	Wet Damp	Dry	Bulk Feed:	Yes No		
Free Flowing: Yes	s No	Is Flow Consistant:	Yes No	Mass Flow Ra	ate: lbs/hr		
Bulk Density:	lbs/ft <sup>3</sup>	Volumetric Flow Rate:	ft³/hr	Material Mois	sture Content: %		
Burden Material Abras	sive: Ye	es No	Burden Dept	:h:inche	25		
be Removed by the	•		т [	- B" ———	A= inches		
		ininches max	. A" C	Chute			
Chute Incline Angle:				late Magnet	B=inches		
Ferroplate Model Selection							
Standard Ferroplate Magnet Example	Unhoused	Ultimate Ferroplate Magnet Example	Quick Clean Perm	a Chute:	Perma Chute:		
Dry Hump:		Hydro Hump:	Auto Clean Hu	mp: I	Round Pipe Separator:		
Ferroplate Magn	et Option	5:					
Sanitary:	Yes	No	Magnet Type:	Ceramic	Rare Earth		
Tapered Step Face:	Yes	No	Pad Eyes:	Yes	No		
4 Pole Construction:	Yes	No	Hinge:	Yes	No		
Special Requirements	:						

Call us for Expert Support of Dings Co. Equipment - Regardless of its Age