



Date: \_\_\_\_\_

### APPLICATION DATA SHEET - PULLEYS

Dings Co. Magnetic Group, 4740 W. Electric Ave., Milwaukee, WI 53219  
Phone: 414-672-7830 • Fax: 414-672-5354 • E-Mail: magnets@dingsco.com

Customer Name and Contact: \_\_\_\_\_

Address: \_\_\_\_\_

Phone: \_\_\_\_\_ Fax: \_\_\_\_\_

E-Mail: \_\_\_\_\_

**The following information is required to accurately size a magnet to your application:**

BELT WIDTH \_\_\_\_\_ INCHES

BELT SPEED \_\_\_\_\_ FPM

BELT CAPACITY \_\_\_\_\_ TONS PER HOUR

CURRENT HEAD PULLEY DIAMETER \_\_\_\_\_ RPM \_\_\_\_\_

DESCRIPTION OF MATERIAL BEING CONVEYED: \_\_\_\_\_

ACTUAL DEPTH OF MATERIAL ON BELT AT PULLEY \_\_\_\_\_ INCHES

SIZE OF MATERIAL BEING CONVEYED \_\_\_\_\_

DESCRIPTION OF LARGEST AND SMALLEST FERROUS PIECES THAT REQUIRE REMOVAL:

TYPE OF EQUIPMENT BEING PROTECTED \_\_\_\_\_

LIST ANY SPECIAL CIRCUMSTANCES THAT WOULD AFFECT THIS APPLICATION:

Parts/Pieces Discreet \_\_\_\_\_ (yes/no)

Ratio Ferrous to Non Ferrous \_\_\_\_\_

**WILL LAGGING BE REQUIRED? PLEASE SPECIFY TYPE OF LAGGING:**

- 3M SAFETY WALK
- 1/2" VULCANIZED RUBBER
- 3/8" ROUGH TOP RUBBER