

Dings magnetic group

Overhead Self-Cleaning Permanent Magnet Quote Request

Company: _____ Quote Required Date: _____

Address: _____ Contact Person: _____

City, State, ZIP: _____ Contact Email: _____

Phone/Cell: _____ Email Completed RFQ to: magsales@dingsco.com

Date Equipment Required by: _____ *You Must Select One to Print: **Imperial** **Metric**

Application Information

Application: _____

Type of Material Being Conveyed: _____

Belt Width: _____ Belt Speed: _____ Belt Capacity: _____

Bulk Density: _____ Max Lump Size: _____ Max. Burden Depth: _____ (b)

Requested Magnet Suspension Height: _____ (a) Trough Depth (if known): _____ (b)


Conveyor Inclined? Yes No Inclined: _____ ° degrees

Trough Idlers: 0° degrees 20° degrees 35° degrees 45° degrees (b)


Supply Requirements: Volts: _____ Phase: _____ Cycles Per Second (Hz): _____

Description of Largest & Smallest Size of Metal to be Removed: _____


a) Description of magnet suspension height.



b) Description burden depth for troughed belt (idler angle and trough depth indicated).




b) Description of burden depth for flat belts (no idler angle/trough depth entries needed)



Overhead Magnet Mounting Selection

- Inline Over the Head Pulley
- Crossbelt Over the Head Pulley
- Crossbelt over the Conveyor

Non- Magnetic Material =  Magnetic Material = 



Overhead Magnet Options

- Dura Belt
- Dust Cover
- High Temp. Belt
- Pulley Guard
- Hazardous Location
- CSA Approved Model
- Zero Speed Switch

Special Requirements: _____

ver. 1/25

Call us for Expert Support of Dings Co. Equipment - Regardless of its Age