

Dings magnetic group

Overhead Self-Cleaning Permanent Magnet Quote Request


Company: _____ Quote Required Date: _____
 Address: _____ Contact Person: _____
 City, State, ZIP: _____ Contact Email: _____
 Phone/Cell: _____ Email Completed RFQ to: magsales@dingsco.com
 Date Equipment Required by: _____ ***You Must Select One to Print: Imperial Metric**

Application Information


Application: _____
 Type of Material Being Conveyed: _____
 Belt Width: _____ Belt Speed: _____ Belt Capacity: _____
 Bulk Density: _____ Max Lump Size: _____ Max. Burden Depth: _____ (b)
 Requested Magnet Suspension Height: _____ (a) Trough Depth (if known): _____ (b)
 Conveyor Inclined? Yes No Inclined: _____ ° degrees
 Trough Idlers: 0° degrees 20° degrees 35° degrees 45° degrees (b)
 Supply Requirements: Volts: _____ Phase: _____ Cycles Per Second (Hz): _____

Description of Largest & Smallest Size of Metal to be Removed: _____


a) Description of magnet suspension height.



b) Description burden depth for troughed belt (idler angle and trough depth indicated).






b) Description of burden depth for flat belts (no idler angle/trough depth entries needed)



Overhead Magnet Mounting Selection

- Inline Over the Head Pulley
- Crossbelt Over the Head Pulley
- Crossbelt over the Conveyor

Non- Magnetic Material =  Magnetic Material = 



Overhead Magnet Options

- | | | |
|-----------------|--------------------|------------------|
| Dura Belt | Hazardous Location | Hydraulic Motor |
| Dust Cover | CSA Approved Model | Flow Rate: _____ |
| High Temp. Belt | Pulley Guard | Pressure: _____ |

Special Requirements: _____

ver. 4/25

Call us for Expert Support of Dings Co. Equipment - Regardless of its Age